HP Series 7 Pro 37,5-calowy monitor Pro seria 7 WQHD+ Thunderbolt 4 – 738pu





Marka : HP

Rodzina produktu: Series 7 Pro

Kod produktu: 8K167AA#ABB

Nazwa produktu : 37,5-calowy monitor HP Pro seria 7 WQHD+ Thunderbolt 4 – 738pu

37,5-calowy monitor HP Pro seria 7 WQHD+ Thunderbolt 4 – 738pu

HP Series 7 Pro 37,5-calowy monitor Pro seria 7 WQHD+ Thunderbolt 4 – 738pu:

Idealne rozwiązanie do wszystkiego, co wymaga doskonałości
Doskonałość ma postać łagodnie zakrzywionego wyświetlacza. Monitor HP 37,5″ WQHD+ Thunderbolt 4 pozwala Ci osiągać jeszcze więcej, dzięki zachwycającym kolorom wyświetlanym na zaawansowanym, ultraszerokim, zakrzywionym monitorze, zapewniającym bezproblemową wydajność.
HP Series 7 Pro 37,5-calowy monitor Pro seria 7 WQHD+ Thunderbolt 4 – 738pu. Długość przekątnej ekranu: 95,2 cm (37.5"), Rozdzielczość: 3840 x 1600 px, Typ HD: Wide Quad HD+, Technologia wyświetlacza: LCD, Powierzchnia wyświetlacza: Matowy, Czas odpowiedzi (typowy): 5 ms, Natywne proporcje obrazu: 21:9, Kąt widzenia (poziomy): 178°, Kąt widzenia (pionowy): 178°. Wbudowane głośniki. Wbudowany USB hub, Wersja USB hub: 3.2 Gen 2 (3.1 Gen 2). Standard VESA, Opcja regulacji wysokości. Kolor produktu: Czarny

Display	
Display diagonal *	95.2 cm (37.5")
Display resolution *	3840 x 1600 pixels
HD type *	Wide Quad HD+
Native aspect ratio *	21:9
Display technology *	LCD
Panel type *	IPS Black
Backlight type	Edge LED
Display brightness (typical)	400 cd/m²
Response time *	5 ms
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Anti-glare screen	✔
Screen shape *	Curved
Screen curvature rating	2300R
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 2560 x 1600 (WQXGA), 3840 x 1600, 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)
Aspect ratio	21:9
Contrast ratio (typical) *	2000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Pixel pitch	0.23 x 0.23 mm
Pixel density	111 ppi
Horizontal scan range	30 - 140 kHz
Vertical scan range	30 - 60 Hz
Viewable size, horizontal	88 cm
Viewable size, vertical	36.6 cm
Digital horizontal frequency	30 - 140 kHz
Digital vertical frequency	30 - 60 Hz

Ergonomics	
VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Height adjustment *	✔
Adjustable height (max)	15 cm
Swivelling	✔
Swivel angle range	-10 - 10°
Tilt adjustment	✔
Tilt angle range	-5 - 20°
Picture-in-Picture	✔
On Screen Display (OSD)	✔

Power	
Energy efficiency class (SDR) *	G
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	37.9 kWh
Energy consumption (HDR) per 1000 hours *	75 kWh
Power consumption (typical) *	62 W
Power consumption (standby) *	0.5 W
Power consumption (max)	318 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1900717

Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%

Display	
Display diagonal (metric)	95.3 cm
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	DisplayHDR 400
Haze rate	25%
Surface hardness	3H
Colour depth	10 bit
Colour gamut standard	sRGB, DCI-P3
Colour gamut	100%
sRGB coverage (typical)	100%

Performance	
NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Fast charging	✔
Flicker-free technology	✔
Low Blue Light technology	✔
HP segment	Business

Multimedia	
Number of speakers	4
RMS rated power	12 W
Built-in speaker(s) *	✔
Audio decoders	DTS Virtual:X
Built-in camera *	✘

Design	
Market positioning *	Business
Product colour *	Black
Detachable stand	✔
Feet colour	Silver, Black

Ports & interfaces	
Built-in USB hub *	✔
USB hub version	3.2 Gen 2 (3.1 Gen 2)
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	5
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	✔
USB Power Delivery (USB PD)	✔
USB Power Delivery up to	100 W
HDMI *	✔
HDMI ports quantity	1
HDMI version	2.0
DisplayPorts quantity	1
DisplayPort out quantity	1
DisplayPort out version	1.4
DisplayPort version	1.4
Thunderbolt 4 ports quantity	2
Headphone out *	✘
Built-in KVM switch	✔
HDCP	✔

Network	
Ethernet LAN	✔
Remotely operated	✔

Weight & dimensions	
Width (with stand)	894.4 mm
Depth (with stand)	266.9 mm
Height (with stand)	581 mm
Weight (with stand)	12.2 kg
Width (without stand)	894.4 mm
Depth (without stand)	108.4 mm
Height (without stand)	396.9 mm

Packaging data	
Package width	1060 mm
Package depth	226 mm
Package height	527 mm
Package weight	18.9 kg
Package type	Box

Packaging content	
Stand included	✔
Cables included	AC, DisplayPort, HDMI, Thunderbolt
Quick start guide	✔
Bundled software	HP Display Center; HP Client Management Script Library


Sustainability	
Sustainability certificates	ENERGY STAR

Carbon footprint	
Total carbon footprint (kg of CO2e)	190
Carbon emissions, manufacturing (kg of CO2e)	103
Carbon emissions, logistics (kg of CO2e)	2
Carbon emissions, end-of-life (kg of CO2e)	2
Total carbon emissions, w/o use phase (kg of CO2e)	78


Other features	
Country of origin	China
UNSPSC-code	43211902
Weight	12.2 kg
Height	396.9 mm
Width	894.4 mm
Depth	108.4 mm
Compliance certificates	BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KC, KCC, Norma Oficial Mexicana (NOM), RCM, VCCI, WEEE
Ethernet LAN (RJ-45) ports	1
Certification	BIS; BSMI; CB; CCC; CE; CECP; CEL; EAC; FCC; ISO 9241-307; KC; KCC; NOM; PSB; RCM; SEPA; TUV-S; UL/CSA; VCCI; WEEE; ISC; Low blue light; ICE; UAE; GS; Ukraine EE; Belarus EE; Korea MEPS; CEL Grade 2

Brand-specific features	
HP GTIN (EAN/UPC)	197497776614

Technical details	
General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true



0197497776584



197497776584

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-MAR-2025. Prints or copies of Information are only valid on the printed Publication date