DELL Pro Plus P3225QE LED display 80 cm (31.5") 3840 x 2160 px 4K Ultra HD LCD Czarny, Szary



Marka : DELL **Rodzina produktu:** Pro Plus **Kod produktu:** DELL-P3225QE

Nazwa produktu : P3225QE

- 80.0cm (31.5") 4K Ultra HD 3840 x 2160 Edge LED IPS
- 8ms, 16:9, 350cd/m², 1500:1
- USB, HDMI, DisplayPort

80.0cm (31.5") 4K Ultra HD 3840 x 2160 Edge LED IPS, 16:9, 350cd/m², 1.07B, 8ms, 178°/178°, 1500:1

DELL Pro Plus P3225QE LED display 80 cm (31.5") 3840 x 2160 px 4K Ultra HD LCD Czarny, Szary:

Zachowaj wysoką wydajność pracy dzięki monitorowi 4K 31,5" z szerokimi możliwościami połączeń i certyfikatem TÜV potwierdzającym komfort wzroku na poziomie 4 gwiazdek.
DELL Pro Plus P3225QE. Długość przekątnej ekranu: 80 cm (31.5"), Rozdzielczość: 3840 x 2160 px, Typ HD: 4K Ultra HD, Technologia wyświetlacza: LCD, Czas odpowiedzi (typowy): 8 ms, Natywne proporcje obrazu: 16:9, Kąt widzenia (poziomy): 178°, Kąt widzenia (pionowy): 178°. Wbudowany USB hub. Standard VESA, Opcja regulacji wysokości. Kolor produktu: Czarny, Szary

Display	
Display diagonal *	80 cm (31.5")
Display resolution *	3840 x 2160 pixels
HD type *	4K Ultra HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✔
Backlight type	Edge LED
Touchscreen *	✘
Display brightness (typical)	350 cd/m²
Response time *	8 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200, 1600 x 900, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 3840 x 2160
Supported video modes	480p, 576p, 720p, 1080p
Contrast ratio (typical) *	1500:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Response time (fast)	5 ms
Pixel pitch	0.1816 x 0.1816 mm
Pixel density	140 ppi
Horizontal scan range	30 - 230 kHz
Vertical scan range	48 - 100 Hz
Viewable size, horizontal	69.7 cm

Ergonomics	
VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	15 cm
Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	-30 - 30°
Tilt adjustment	✔
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	✔

Power	
Energy efficiency class (SDR) *	F
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	28 kWh
Power consumption (typical) *	27.8 W
Power consumption (standby) *	0.4 W
Power consumption (max)	205 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	2.8 A
Power supply type	Internal
Energy efficiency scale	A to G

Display	
Viewable size, vertical	39.2 cm
Viewable size diagonal	80 cm
Surface hardness	3H
sRGB coverage (typical)	99%
Dell ComfortView technology	✔
Heat dissipation (typical)	94.9 BTU/h

Performance	
NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Flicker-free technology	✔
Low Blue Light technology	✔
Windows operating systems supported	Windows 10
Mac operating systems supported	✔

Multimedia	
Built-in speaker(s) *	✘
Built-in camera *	✘

Design	
Product colour *	Black, Grey
Front bezel colour	Black
Feet colour	Grey

Ports & interfaces	
Built-in USB hub *	✔
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	✔
USB Power Delivery (USB PD)	✔
USB Power Delivery up to	90 W
HDMI *	✔
HDMI ports quantity	1
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✘
HDCP	✔
HDCP version	2.2

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12192 m

Weight & dimensions	
Width (with stand)	713.4 mm
Depth (with stand)	215 mm
Height (with stand)	619 mm
Weight (with stand)	9.16 kg
Width (without stand)	713.4 mm
Depth (without stand)	50 mm
Height (without stand)	413.1 mm
Weight (without stand)	6.65 kg
Bezel width (side)	8.05 mm
Bezel width (top)	7.88 mm
Bezel width (bottom)	1.3 cm

Packaging data	
Package weight	12.9 kg

Packaging content	
Stand included	✔
Cables included	DisplayPort, USB Type-A to USB Type-C, USB Type-C
DisplayPort cable length	1.8 m

Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold, TCO
Doesn't contain	Arsenic, Mercury, PVC/BFR

Other features	
Compliance certificates	RoHS
Ethernet LAN (RJ-45) ports	1
Wake-on-LAN	✔
Certification	TÜV Rheinland Eye Comfort 3.0

Brand-specific features	
Dell Display Manager (DDM) compatibility	✔



5397184962527

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-APR-2025. Prints or copies of Information are only valid on the printed Publication date